



GYMKANA 994	4
NINJA TOTAL	6
NINJA LASER	8
994 LASER	10
VERSA	12
303	14
PUNTO	16
META 106	18
EASY QUATTRO	20
FALCON	22
ARCADIA	24
CAMILLO BIANCHI READER ADVANCE	26
BIANCA KEY	27
884 DECRYPTOR MINI	28
BLUETOOTH & POWER ADAPTOR	29
884 DECRYPTOR ULTEGRA	30
SOFTWARE UPDATES & CLONABLE CHIPS	32
POD KEYS	33
KEYLESS SYSTEMS	38
ELECTRONIC HEADS	40
HORSESHOE BLADES & REMOVAL TOOL	41
REMOTE SHELL REPLACEMENTS	42
TRANSPONDER KEYS	43
NON-TRANSPONDER KEYS	47
EMERGENCY & TEST KEYS	50

GYMKANA 994

COST EFFECTIVE, COMPACT AUTOMOTIVE KEY MACHINE



- Cuts by code, decode and depths for high security and double-sided edge cut keys
- Faster software loading, intuitive screen prompts
- Software updates easily done via USB memory stick or Internet
- Z-axis allows for new self-aligning universal U clamp (works for 994 Laser A/B/C/D/F/G clamp applications)
- Optional clamp for Volkswagen & newer Jeep Wrangler (V clamp)
- No tip stops or adaptors needed for most vehicles
- One cutter and tracer used for high security and double-sided edge cut applications
- 2mm carbide cutter and universal tracer are easy to change out and replace

- User-friendly design features large safety shield and mounting bracket for console or tablet
- Chip tray easily removes for chip disposal
- Versatile design, perfect for shop or mobile operations
- Android software app also available for maximum versatility









TECHNICAL SPECIFICATIONS	
Power Supply	110v / 60Hz
External Connections	1 USB 2.0 port, 1 Ethernet
Key Reading	Electric contact
Cutter Speed	3000-8000 rpm (variable)
Electronic Equipment	Mainboard with iMX6 CPU, 1 GB RAM, 4 GB memory
User Interface	7" color touch screen, 16:10, resolution 800 x 480 px, VGA
Dimensions	12" W x 18" D x 12" H (machine); 8" W x 6" D x 3" H (console)
Weight	42 lbs.
Warranty	2 years

ACCESSORIES	PART NUMBER
V Clamp	OPZ10260B (Volkswagen & Jeep Wrangler)
H Clamp Kit	OPZ09523B (6-cut Tibbe Jaguar & Ford)
Screen Protector	B9979
4GB USB Flash Drive	PROMO-015
Mounting Kit	B9980

NUMBER 6B
)B
4B
)B
)B
6B
2B
IB

NINJA TOTAL

COMPLETE CODE CUTTING KEY MACHINE FOR SECURITY PROFESSIONALS



- Cuts by code, decode or depths for high security edge cut and dimple keys
- Z-axis allows for easy key insertion and dimple key cutting
- Complete database of key systems built-in; no computer needed
- Innovative, 7" color touch screen console features dynamic graphic representation of key cuts and faster software functions
- Electronic calibration
- Software easily updated using USB flash drive or Internet
- Includes A03 and C30 clamps for high security, dimple and 4-sided clamp for edge cut
- Optional C25 clamp for engraving









TECHNICAL SPECIFICATIONS	
Power Supply	110v / 60Hz
External Connections	2 USB 2.0 ports, 2 RS232 serial ports, 1 LAN
Key Reading / Decoding	Mechanical tracer with linear sensor (Edge Cut side); Electrical contact (Laser/Dimple side)
Cutter Speed	13,000 RPM (Laser/Dimple side); 1,500-3,000 RPM (Edge Cut side)
Electronic Equipment	Mainboard with ARM Cortex A8 CPU, 256 MB RAM, NAND 1 GB memory
Dimensions	15" x 17" x 13 (machine), 8" x 6" x 3" (console)
Weight	65 lbs.
Warranty	2 years

ACCESSORIES	PART NUMBER
A02 Clamp	OPZ04873B
A03 Clamp [included]	OPZ04875B
A04 Clamp	OPZ04877B
C25 Clamp	OPZ09335B
C30 Clamp [included]	OPZ10569B
AV12 Adaptor [included]	OPZ10582B
AD06 Adaptor	OPZ10631B (Lexus/Subaru/Toyota)
Console Arm Support	OPZ09454B

REPLACEMENT PARTS	PART NUMBER
V001 Dimple Cutter	RIC05044B
T02 Dimple Tracer	RIC05352B
V003 High Security Cutter	RIC05048B
T01 High Security Tracer	RIC05348B
V000 Engraving Cutter	RIC05050B
4mm T-handle Wrench	RIC08684B
63mm Carbide Cutter	RIC09168B
Cutter Belt	RIC09953B
Keyline USB Flash Drive	PROMO-015

NINJA LASER

DUAL CODE CUTTING KEY MACHINE FOR EDGE CUT AND HIGH SECURITY



- Cuts by code, decode or depths and duplicates high security on AC Clamp and 6-cut Tibbe keys (with optional H Clamp)
- Cuts by code, decode or depths and duplicates single and double-sided automotive edge cut and commercial and residential keys on 4-sided clamp
- Electronic calibration
- Complete database of key systems built-in; no computer needed
- Innovative, 7" color touch screen console features dynamic graphic representation of key cuts and faster software functions
- Key information is automatically converted to original lock specification when duplicating
- Software easily updated using USB flash drive or Internet









TECHNICAL SPECIFICATIONS	
Power Supply	110v / 60Hz
External Connections	2 USB, 2 RS232 serial ports, 1 LAN
Cutter Speed	6,000 RPM (Laser side); 1,500-3,000 RPM (Edge Cut side)
Key Reading / Decoding	Electrical contact
Mobile Capability	Requires pure sine wave inverter (sold separately)
Dimensions	15" x 17" x 13" (machine), 8" x 6" x 3" (console)
Weight	60 lbs.
Warranty	2 years

ACCESSORIES	PART NUMBER
AC Clamp [included]	OPZ09734B (Acura, Audi, BMW, GM, Honda, Kia, Hyundai, Lexus, Subaru, Porsche, Toyota, Volvo, VW)
B Clamp	OPZ09781B (older BMW, Volvo)
D Clamp	OPZ09783B (Chrysler Crossfire, Mercedes)
H Clamp Kit	OPZ09523B [includes H clamp Allen tool and calibration template] (6-cut Tibbe Jaguar & Ford)
AD03 Adaptor	B3379 (for certain Lexus, Toyota and Subaru keys)
AD02 Adaptor	OPZ05406B (for Infiniti Q45 and President models)
AD05 Adaptor	OPZ10269B (for Infiniti QX30)
AV08 Adaptor	OPZ09329B (for Ducati, Aprilia and Guzzi)
Console Arm Support	OPZ09454B

REPLACEMENT PARTS	PART NUMBER
2.5mm Cutter	RIC05304B
Universal Tracer	RIC09483B
63mm Carbide Cutter	RIC09168B
Magnetic Tip Stop (AC Clamp)	RIC08515B
Magnetic Tip Stop (N01 Clamp)	OPZ09874B
Standard Tip Stops (N01 Clamp) (Pair)	RIC02186B
Cutter Belt	RIC10005B
Keyline USB Flash Drive	PROMO-015

994 LASER

MARKET-PROVEN AUTOMOTIVE EDGE CUT & HIGH SECURITY KEY MACHINE



- Cuts by code, decode or depths and duplicates high security, double-sided edge cut (optional G Clamp) and 6-cut Tibbe keys (optional H Clamp)
- Complete database of high security systems built-in; no computer needed
- Innovative, 7" color touch screen console features dynamic graphic representation of key cuts and faster software functions
- Integrated stand to hold clamps, tools and cutters
- Electronic calibration
- Key information is automatically converted to original lock specification when duplicating
- Universal 2.5mm carbide cutter used for all high security & Tibbe applications, 1.5mm for edge cut
- Universal tracer for all key applications

- Software easily updated using USB flash drive or Internet
- Includes A & C clamps to cut most popular high security laser keys; B, D, G clamp kit and H clamp available as optional equipment









TECHNICAL SPECIF	ICATIONS
Power Supply	110v / 60Hz
External Connections	2 USB, 2 RS232 serial ports, 1 LAN
Cutter Speed	6,000 RPM
Key Reading / Decoding	Electrical contact
Mobile Capability	Requires pure sine wave inverter (sold separately)
Dimensions	12" x 15" x 14" (machine), 9" x 10" x 6" (console with base)
Weight	45 lbs.
Warranty	2 years
ACCESSORIES	PART NUMBER
A Clamp [Red]	OPZ03182B (Acura, Honda, Kia, Hyundai, Lexus, Subaru, Toyota, Volvo)
B Clamp [Grey]	OPZ03183B (older BMW, Volvo Trucks)
C Clamp [Green]	OPZ05223B (Audi, BMW, Buick, Chevy, GMC, Porsche, VW)
D Clamp [Blue]	OPZ03185B (Chrysler Crossfire, Mercedes)
G Clamp Kit [Yellow]	OPZ09486B [includes 1.5mm cutter, tracer and magnetic tip stop) (double-sided edge cut)
H Clamp Kit [Orange]	OPZ09523B [includes H clamp Allen tool and calibration template] (6-cut Tibbe Jaguar & Ford)
AD03 Adaptor	B3379 (for certain 80,000 code series Lexus, Toyota and Subaru keys)
AD02 Adaptor	OPZ05406B (for Infiniti Q45 and President models)
AD05 Adaptor	OPZ10269B (for Infiniti QX30)
AV08 Adaptor	OPZ09329B (for Ducati, Aprilia and Guzzi)
Vacuum Attachment Kit	Tube + Outlet Kit: OPZ05013B; Tube only: OPZ04219B [vacuum sold separately]
REPLACEMENT PAR	TS PART NUMBER
2.5mm Cutter	RIC05304B
Universal Tracer	RIC09483B
1.5mm Cutter (G Clamp)	RIC09617B
Magnetic Tip Stop	RIC08515B
Cutter Install Tool	RIC03436B
Cutter Belt	RIC03304B
Calibration Template	RIC03444B
Keyline USB Flash Drive	PROMO-015

VERSA

HIGH PERFORMANCE MACHINE FOR HIGH SECURITY & DIMPLE KEYS



- Cuts by code, decode or depths and engraves high security and dimple keys
- Complete database of key systems built-in; no computer needed
- Innovative, 7" color touch screen console features dynamic graphic representation of key cuts and faster software functions
- Key cutting machine for high volume of keys
- Protective safety shield keeps work area clean
- Software easily updated via Internet
- Includes A01, A02 and A03 clamps for cutting high security keys
- Includes C01 clamp for engraving & dimple keys









TECHNICAL SPECIFICATIONS	
Power Supply	110v / 60Hz
External Connections	2 USB, 1 RS232 serial port, 1 LAN, 1 VGA socket
Key Reading / Decoding	Electrical contact
Cutter Speed	28,000 RPM
Mobile Capability	Requires pure sine wave inverter (sold separately)
Dimensions	20" x 17" x 15"
Weight	82 lbs.
Warranty	2 years

ACCESSORIES	PART NUMBER
A01 Clamp [included]	OPZ04871B
A02 Clamp [included]	OPZ04873B
A03 Clamp [included]	OPZ04875B
C01 Clamp [included]	OPZ04879B

REPLACEMENT PARTS	PART NUMBER
V001 Dimple Cutter	RIC05044B
T02 Dimple Tracer	RIC05352B
V003 High Security Cutter	RIC05048B
T01 High Security Tracer	RIC05348B
V000 Engraving Cutter	RIC05050B
4mm T-handle Wrench	RIC08684B
Cutter Belt	RIC06156B
T00 Calibration Tracer	RIC05350B
T06 4mm Tracer	RIC08470B

303

ROBUST, INNOVATIVE HIGH SECURITY AND DIMPLE KEY DUPLICATOR



- Duplicates high security and dimple style automotive keys
- Microswitch activated cutter start with vertical and lateral carriage locking
- Removable faceplates
- Long lasting LED-style light
- Dual mode system; red button calibrates, black button cuts
- Three dimensional calibration results in greater cut accuracy
- Adaptors sold separately; Audi/VW (MA), Mercedes 2-Track (MM)









TECHNICAL SPECIFICATIONS	
Power Supply	110v / 60Hz
Cutter Motor	Single speed
Cutter Speed	6000 RPM
Dimensions	15" x 15" x 20"
Weight	45 lbs.
Warranty	2 years

ACCESSORIES	PART NUMBER
Audi/VW Adaptor	MA
Mercedes 2-Track Adaptor	MM
Removable Faceplates	RIC02648B

REPLACEMENT PARTS	PART NUMBER
2.5mm Cutter (HC011)	RIC01810B
2.5mm Tracer (C011)	RIC01811B
3mm Cutter (HC030)	RIC01715B
3mm Tracer (C030)	RIC01716B
2mm Cutter (HC044)	RIC01816B
2mm Tracer (C044)	RIC01817B
0.45mm Dimple Cutter (HB020)	RIC01793B
0.45mm Dimple Tracer (B020)	RIC01794B
0.70mm Dimple Cutter (HB001)	RIC01791B
0.70mm Dimple Tracer (B001)	RIC01792B

PUNTO


ECONOMICAL HIGH SECURITY AND DIMPLE KEY DUPLICATOR



- Duplicates high security and dimple style automotive keys
- Flip down safety shield
- Cutter storage built into top of machine
- Spring loaded tracer assembly for dimple keys
- Adaptors sold separately; Audi/VW (MA), Mercedes 2-Track (MM)









TECHNICAL SPECIFICATIONS	
Power Supply	110v / 60Hz
Cutter Motor	Single speed
Cutter Speed	9000 RPM
Dimensions	10" x 15" x 20"
Weight	45 lbs.
Warranty	2 years

ACCESSORIES	PART NUMBER
Audi/VW Adaptor	MA
Mercedes 2-Track Adaptor	MM

REPLACEMENT PARTS	PART NUMBER
2.5mm Cutter (HC011)	RIC01810B
2.5mm Tracer (C011)	RIC01811B
3mm Cutter (HC030)	RIC01715B
3mm Tracer (C030)	RIC01716B
2mm Cutter (HC044)	RIC01816B
2mm Tracer (C044)	RIC01817B
0.45mm Dimple Cutter (HB020)	RIC01793B
0.45mm Dimple Tracer (B020)	RIC01794B
0.70mm Dimple Cutter (HB001)	RIC01791B
0.70mm Dimple Tracer (B001)	RIC01792B

META 106

SEMI-AUTOMATIC DUPLICATOR FOR EDGE CUT KEYS



- Four-way reversible clamps securely hold residential, commercial, padlock and single and double sided automotive keys
- Microswitch activated carriage with improved spring loaded design
- Press down levers for easy jaw side selection
- Overhead light with ON/OFF switch includes drop down magnifying glass
- One-piece clamp alignment with locking mechanism prevents accidental jaw release
- Wide clamp spacing accommodates longer and larger headed keys

- Micrometric tracer adjustment for quick and accurate depth calibration
- Also available in carbide cutter version (Part number: B106-C)









TECHNICAL SPECIFICATIONS		
Power Supply	110v / 60Hz	
Cutter Motor	1/4 HP	
Cutter Speed	1680 RPM	
Dimensions	18" x 15" x 17"	
Weight	55 lbs.	
Warranty	2 years	

ACCESSORIES	PART NUMBER
Carbide Cutter Kit	RIC08143B & OPZ05819B (80mm carbide cutter + pulleys)

REPLACEMENT PARTS	PART NUMBER
80mm HSS Cutter	RIC05808B
80mm Carbide Cutter	RIC08143B
Tracer Point	OPZ05813B
Tip Stops (Pair)	RIC05196B
Tynex Brush	RIC04636B
Light Bulb	B1615

EASY QUATTRO

SMALL PROFILE, MANUAL DUPLICATOR FOR EDGE CUT KEYS



- Four-way reversible clamps securely hold residential, commercial, padlock and single and double sided automotive keys
- Ergonomic clamp knobs securely tighten down keys
- Redesigned body style features more modern and functional design
- Large safety shield
- Independent brush button









TECHNICAL SPECIFICATIONS	
Power Supply	110v / 60Hz
Cutter Motor	Single speed
Cutter Speed	9000 RPM
Dimensions	9" x 15" x 21"
Weight	47 lbs.
Warranty	2 years

REPLACEMENT PARTS	PART NUMBER
80mm Cutter	RIC02098B
Tynex Brush	RIC01743B

FALCON

MANUAL CODE CUTTING MACHINE FOR TIBBE STYLE KEYS



- Manual code machine for 6-cut and 8-cut Tibbe keys
- Independent adaptor allows for 360 degree key rotation
- Microswitch activated cutter start and stop
- Independent soft touch brush button









TECHNICAL SPECIFICATIONS	
Power Supply	110v / 60Hz
Cutter Motor	Single speed
Cutter Speed	1500 RPM
Dimensions	15 ¾" x 14 ½" x 9"
Weight	38 lbs.
Warranty	2 years

ACCESSORIES	PART NUMBER
Tibbe Clamp (01) [included]	OPZ08657B
Abus Clamp (02)	OPZ08763B
Abloy Clamp (03)	OPZ08773B

REPLACEMENT PARTS	PART NUMBER
80mm Cutter	RIC09113B
Tynex Brush	RIC04636B

ARCADIA

MANUAL TUBULAR KEY CUTTING MACHINE



- 7 clamps available for a wide variety of tubular style keys
- Built in clamp storage compartments
- Bright LED lighted cutting bay
- Microswitch activated cutter start and stop
- Includes KT0 clamp for Chicago and Meroni keys









TECHNICAL SPECIFICATIONS	
Power Supply	110v / 60Hz
Cutter Motor	Single speed
Cutter Speed	1500 RPM
Dimensions	8 ¼" x 15 ¾" x 8 ¼"
Weight	28 lbs.
Warranty	2 years

ACCESSORIES	PART NUMBER
Clamp KTO (included)	OPZ09216B
Clamp KT2	OPZ08620B
Clamp KT3	OPZ08575B
Clamp KT4	OPZ08582B
Clamp KT5	OPZ08558B
Clamp KT6	OPZ08885B
Clamp KT7	OPZ08888B
Clamp KT8	OPZ08568B
Clamp KT9	OPZ08579B
Clamp KT13	OPZ08573B

REPLACEMENT PARTS	PART NUMBER
Cylindric Cutter	RIC08866B
Tracer	RIC08608B

CAMILLO BIANCHI READER ADVANCE

- Camillo Bianchi Reader Advance includes customization software to allow easy addition of new key blanks
- Perfect solution for identifying single or double-sided flat profiles or dimple keys
- Intuitive interface with 7" display
- Simple key insertion slot with grid aligning
- Complete database built-in
- Compact and ergonomic design
- Multiple languages and regions
- Part #: BI702-ADV-NA





TECHNICAL SPECIFICATIONS	
Voltage	12V - 24W
External Connections	1 LAN, 1 USB
Software Updates	Keyonline via USB flash drive or Ethernet cable
Dimensions	6" x 12" x 12"
Weight	9 lbs.
Warranty	2 years

BIANCA KEY





The house key reinvented.

A new house key with the world's best selling Bluetooth tracker integrated. Never lose your key again.

PATENT PENDING

Why Bianca?

1 out of 4 people

The number of people which misplaces their keys every year.

N.1 top 10 items

Keys are the n.1 misplaced items by Americans.

10 Minutes per day

Spent by the average person looking for keys, phone and other misplaced items.



Benefits



Loud sound - key finder

Use the Tile app to ring your key or click "View on map" if far away.



Your new house key

Bianca works exactly like your house key, so you don't need to replace your lock.



Find your phone

Double tap your Bianca's button to make your phone ring, even on silent.



Simple and easy to use app

Download Tile app from the app store or from biancakey.com/activate Also available for Apple Watch.



The power of Tile

With millions of users, the Tile community can help you find Bianca.



Miscut key program

The key is designed to be easily separated from the battery module.



Available keyways	SKU
Compatible with Kwikset® KW1, 66	B0001-W-B-KW
Compatible with Weiser® WR3, WR5	B0001-W-B-WE
Compatible with Schlage® SC1, 68	B0001-W-B-SC







884 DECRYPTOR MINI









 Works with PC (with Windows 7 or higher) and Keyline Cloning Tool software or Android phone/ tablet with USB-OTG capability and Keyline Cloning Tool app

- Bluetooth & Power Adaptor available for iOS capability (sold separately)
- Portable, lightweight and simple to use
- Works exclusively with Keyline's 2-piece key system (heads and horseshoes or chips and POD keys)
- Clones Philips® Crypto (1st and 2nd generation), Texas® Encrypted, Texas® 80-bit for Kia®, Hyundai®, Ford® and Toyota®, fixed code transponders and more

- Ability to clone Megamos® Crypto (ID48) with optional software kit (TKM.Xtreme)
- EEPROM.Xtra software sold separately
- Easy software updates
- Part #: BI884-MINI










TECHNICAL SPECIFICATIONS	
Power Supply	Powered by user device (PC, tablet or phone)
External Connections	Micro USB port; 2 connection cables included (USB and USB-DTG)
Dimensions	5" x 4" x 4"
Weight	1 lb.
Warranty	2 years

BLUETOOTH & POWER ADAPTOR

TECHNICAL SPECIFICATIONS	
Power Supply	Connected to 884 Decryptor Mini and charged through micro USB connection port on 884 Decryptor Mini
Connection Type	Bluetooth v4.0 dual mode (BT and BLE); compatible with Android and iOS devices
Dimensions	4 ½" x 1" x 3 ½""
Weight	<1 lb.
Warranty	2 years







884 DECRYPTOR ULTEGRA



- Clones Philips® Crypto (1st and 2nd generation), Texas® Encrypted, Texas® 80-bit for Kia®, Hyundai®, Ford® and Toyota®, fixed code transponders and more
- Ability to clone Megamos® Crypto (ID48) with optional software kit (TKM.Xtreme)
- EEPROM.Xtra software sold separately
- Works exclusively with Keyline's 2-piece key system (heads and horseshoes or chips and POD keys)
- Intuitive, multi-language graphic display
- Stand alone; computer connectivity required only for software upgrade kits and updates
- Easy software updates
- Part #: BI884









TECHNICAL SPECIFICATIONS	
Power Supply	12V DC; 12V vehicle adaptor included
External Connections	USB and RS232 serial port
Dimensions	8 ½" x 5" x 2 ¾"
Weight	2 lbs.
Warranty	2 years

ACCESSORIES	PART NUMBER
12V Power Adaptor	B7726

SOFTWARE UPDATES & CLONABLE CHIPS





EEPROM.XTRA

Software to create one or more transponders key copies when original key is not available.* Works exclusively with 884 Decryptor Ultegra or 884 Decryptor Mini and Keyline Cloning Tool program

TKM. XTREME KIT

Software for Megamos® Fixed Code and Crypto (ID48) keys Works exclusively with 884 Decryptor Ultegra or 884 Decryptor Mini and Keyline Cloning Tool program



Philips® Crypto (1st gen)



Texas® Fixed (4C), Texas® Crypto (4D) and Philips® Crypto (ID46) code transponders

CK100



Texas® Fixed (4C), Texas® Crypto (4D) and Philips® Crypto (ID46) code transponders

GK100



Megamos® Crypto (ID48) and Megamos® Fixed Code

GKM



Toyota® and Ford® 80-bit keys

^{*} A separate EEPROM reader is necessary for EEPROM memory reading.



Keyline POD Keys are chipless shell keys that give automotive professionals the ability to create their own transponder keys using original transponders or harvested chips from existing transponder keys to make a new key or replace a key that is damaged.



The innovative new style POD Keys feature an OEM-like design and accommodate a variety of original transponder chip types including glass and wedge styles as well as feature a pinhole release for easy access to chip holder tray for replacement or removal.



CHEVY/SATURN CHRYSLER/DODGE/JEEP





HYUNDAI/KIA







New style POD Keys are noted with (a) image



YAMAHA




KEYLESS SYSTEMS



BMW Kit

Part Number: BM100KIT





NISSAN Kit

Part Number: NS100KIT

MAKE	MODEL	FROM	то
Infiniti	EX35	2008	2013
	FX35	2009	2012
	FX37	2013	2013
	FX50	2009	2013
	G SERIES	2013	2013
	G25	2011	2012
	G35 4DR	2007	2008
Nissan	370Z	2009	2013
	ALTIMA 2DR	2007	2013
	ALTIMA 4DR	2007	2012
	ALTIMA HYBRID	2013	2013
	MAXIMA	2009	2013
	MURANO	2009	2012
	MURANO CROSS CABRIOLET	2009	2013
	Infiniti	Infiniti EX35 FX35 FX37 FX50 G SERIES G25 G35 4DR Nissan 370Z ALTIMA 2DR ALTIMA 4DR ALTIMA HYBRID MAXIMA MURANO	Infiniti EX35 2008 FX35 2009 FX37 2013 FX50 2009 G SERIES 2013 G25 2011 G35 4DR 2007 Nissan 370Z 2009 ALTIMA 2DR 2007 ALTIMA 4DR 2007 ALTIMA HYBRID 2013 MAXIMA 2009 MURANO 2009



KIA and HYUNDAI Kit
Part Number: KIHY100KIT

MAKE	MODEL	FROM	то
Kia	BORREGO (PROX)	2009	2011
	FORTE (PROX)	2011	2013
	MAGENTIS (PROX)	2010	2010
	OPTIMA (PROX)	2010	2013
	SORENTO (PROX)	2011	2013
	SOUL (PROX)	2011	2013
	SPORTAGE (PROX)	2011	2013
Hyundai	EQUUS (PROX)	2011	2013
	GENESIS 2DR (PROX)	2010	2013
	GENESIS 4DR (PROX)	2009	2013
	SONATA (PROX)	2011	2013
	TUCSON (PROX)	2013	2013

*Note: The KIHY100Kit includes both the KI22P and HY22P emergency keys as the Kia and Hyundai vehicles can use either the high security or standard keyway depending on the model type and vehicle package.

KEYLESS SYSTEMS



TOYOTA PRIUS Kit

Part Number: TR100KIT

	MODEL	FROM	то
Ð	PRIUS	2004	2008



Part Number: VL100KIT

	MODEL	FROM	то	
ş	S80	2008	2011	
	VL70	2008	2011	
	XC70	2008	2011	



VOLVO Kit for Megamos® ID48

Code: VLMKIT

	MODEL	FROM	то
9	C30	2008	Today
	S40	2008	Today
	S80	1999	Today
	V40	2012	Today
	V50	2004	Today



VW Kit for Megamos® ID48

Code: VWMKIT

TO

2010

2016

2015

2010

2015

2013

2016

2010

2008

2009

2015

2012

	MODEL	FROM	то
9	PASSAT	2006	2006

FROM

2008

2008

2008

2008

2013

2011

2008

2009

2008

2009

2014

2009



CHRYSLER/DODGE/JEEP Kit

Part Number: Y100KIT









MAKE

IChrysler

TOWN & COUNTRY CHALLENGER Dodge **CHARGER** DART **DURANGO GRAND CARAVAN JOURNEY MAGNUM**

MODEL

300,300C

RAM 1500

ROUTAN

CHEROKEE

Jeep Jeep



Ram

2010 **COMMANDER** 2008 **GRAND CHEROKEE** 2008 2014 1500 2010 2014 2500, 3500 HEAVY DUTY 2010 2016 3500, 4500 5500 CHASSIS CAB 2011 2016 TRADESMAN C/V 2014 2012

All brands and trademarks published here are exclusive property of the relevant car makers or groups.





ELECTRONIC HEADS















RFD100-US-21

Car remote models
for Ford keys Edge Cut Key Blade

RFD100-US-3

Car remote models
for Ford keys Tibbe Key Blade

RFD100-US-40

Car remote models for Ford keys High Security Key Blade

HORSESHOE BLADES & REMOVAL TOOL

HORSESHOE BLADES

BMW Blade - HS	BM2U	Hyundai Blade	HY14SU
BMW Motorcycle Blade - HS	BM9U	Hyundai Blade - HS	HY21U
Chevy/Saturn Blade	DAE47U	Hyundai Blade - HS	HY21SU
Chevy Blade	DAE48U	Jaguar Blade - TIBBE	JA1U
Chevy Blade	DAE48SU	Lexus Short Tapered End Blade - HS	TR48U
Chevy/Pontiac Blade - HS	HC1U	Lexus Long Tapered End Blade - HS	TR49U
Chevy/GM Trucks Blade (Canada)	TR47SU	Lexus Short Blade - HS	TR53U
Chrysler/Dodge/Jeep Blade	Y160U	Lexus Long Blade - HS	TR51U
Chrysler/Dodge/Jeep Blade	Y170U	Mazda Blade	MZ24U
Dodge/Mercedes Sprinter Blade - HS	MB57U	Mitsubishi Blade	MT1U
Fiat Blade - HS	FT22U	Mitsubishi Blade	MT11U
Fiat/Citroen - HS	PG83U	Mitsubishi Blade	MT8SU
Ford/Lincoln/Mercury Blade	FD20U	Nissan Blade	NS34U
Ford/Lincoln/Mercury Blade	FD21U	Renault/Dacia Blade	RN30U
Ford Blade - HS	FD40U	smart Blade - HS	PG33U
Ford/Jaguar Blade - TIBBE	JA2U	Subaru Blade - HS	SUB1U
GM/Cadillac Blade	B99U	Subaru Blade	SUB2U
GM/Cadillac Blade	B106U	Suzuki Blade	SU15U
GM Blade - HS	VX4U	Suzuki Blade	SU19U
GM Blade - HS	VX5U	Toyota Blade	TR41U
GM Blade - HS	VX6U	Toyota Blade	TR47U
Honda/Acura Blade	HD90U	Volvo Blade - HS	VL17U
Honda/Acura Blade - HS	HD1U	VW Blade - HS	V66U
Hyundai Blade	HY7SU	VW Blade - HS	V35U
Hyundai Blade	HY12U	VW Blade - HS	V35SU
Hyundai Blade	HY14U	Zadi/Triumph Motorcycle Blade - HS	ZAD20U

HORSESHOE BLADE REMOVAL TOOL

- Easily remove horseshoe blades from electronic heads with this handy tool
- Part #: BRT100




REMOTE SHELL REPLACEMENTS






























SUB4-PT-SK




TOYOTA



NON-TRANSPONDER KEYS

BMW CHRYSLER/DODGE/JEEP







BY157-P






BY159-P



RA4

FORD GM



GM



NON-TRANSPONDER KEYS



BHY18-P

BHY18R-P

BKK10-P

BLXP90-P

BMZ27-P


BMZ31

BMZ31-P

NON-TRANSPONDER KEYS







BDA34

BDA34-P

BTR40

BTR40-P

BDA31-P

BDA31


BDA25-P

EMERGENCY & TEST KEYS


EMERGENCY KEYS



EMERGENCY KEYS



TEST BLADES





Innovators by design | Since 1770

A BIANCHI 1770 GROUP COMPANY

Keyline USA

31336 Industrial Pkwy - Suite 3 North Olmsted, Ohio 44070, USA T+1 440 716 8006 F +1 216 803 0202 TF +1 800 891 2118 info@keyline-usa.com





www.keyline-usa.com







CERTIFICATION UNI EN ISO 9001:2008 CERTIFICATION ISO/TS 16949: 2009